




# TRİYÖR / INDENTED CYLINDER / BATTERIE DE TRIEUR



43

## ÖLÇÜLER - DIMENSIONS (mm)


Tip / Type	A	B	C	D	E	F	G	ØH	ØJ
Mut-07-60 (1 deck)	1450	1325	2200	2660	875	3290	4300	120	120
Mut-07-76 (1 deck)	2130	1680	2780	3365	1110	3555	4830	120	120
Mut-07-95 (1 deck)	2580	1810	3145	3855	1505	4370	5050	120	120

## TEKNİK BİLGİLER - TECHNICAL DATA

Tip / Type	Kapasite Capacity (t/h)	El. Motor (kW)	Hava İhtiyacı Air Required (m <sup>3</sup> /min)	Ağırlık Weight (kg)
Mut-07-60 (1/2 deck)	1	0.75	5	210
Mut-07-60 (1 deck)	5	1.5	8	485
Mut-07-76 (1/2 deck)	1.5	1.1	6	300
Mut-07-76 (1 deck)	10	2.2	10	700
Mut-07-95 (1/2 deck)	2	1.5	7	600
Mut-07-95 (1 deck)	15	3	12	1200

Not : Kapasiteler %3 yabancı madde oranına göre dir.  
 P.S. : Capacity at 3% impurities  
 P.S. : Capacité selon 3 % d'impuretés.

# TRİYÖR / INDENTED CYLINDER / BATTERIE DE TRIEUR



## ÖLÇÜLER - DIMENSIONS (mm)

Tip / Type	A	B	C	D	E
Mut-07-62/200-1	2400	800	1125	-	200
Mut-07-62/200-2	2400	800	1125	2006	200
Mut-07-62/300-1	3400	800	1125	-	200
Mut-07-62/300-2	3400	800	1125	2006	200
Mut-07-72/200-1	2405	900	1300	-	260
Mut-07-72/200-2	2405	900	1300	2390	260
Mut-07-72/300-1	3405	900	1300	-	260
Mut-07-72/300-2	3405	900	1300	2390	260
Mut-07-92/200-1	2466	1100	1525	-	300
Mut-07-92/200-2	2466	1100	1525	2870	300
Mut-07-92/300-1	3466	1100	1525	-	300
Mut-07-92/300-2	3466	1100	1525	2870	300



44


## TEKNİK BİLGİLER - TECHNICAL DATA

Tip / Type	Kapasite / Capacity (t/h)		Hava İhtiyacı Air required (m <sup>3</sup> /min.)	El. Motor (kW)	Hacim Volume (m <sup>3</sup> )	Ağırlık Weight (kg)
	Uzun / Long	Kırık / Round				
Mut-07-62/200-1	1.5	3	8	1x1.5	2.3	550
Mut-07-62/200-2	3	6	12	2x1.5	4.2	1050
Mut-07-62/300-1	2	4.5	10	1x1.5	3.2	700
Mut-07-62/300-2	4.5	9	14	2x1.5	5.8	1350
Mut-07-72/200-1	2.5	5	10	1x2.2	3.1	630
Mut-07-72/200-2	5	10	14	2x2.2	5.7	1210
Mut-07-72/300-1	4	7.5	12	1x2.2	4.3	870
Mut-07-72/300-2	8	15	16	2x2.2	7.9	1690
Mut-07-92/200-1	4.5	9	12	1x3	4.6	800
Mut-07-92/200-2	9	18	16	2x3	8.7	1750
Mut-07-92/300-1	6.5	13	12	1x3	6.3	1125
Mut-07-92/300-2	13	26	16	2x3	11.9	2200







Not : Kapasiteler %3 yabancı madde oranına göre dir.

PS. : Capacity at 3% impurities

PS. : Capacité selon 3 % d'impuretés.



# TRİYÖR / INDENTED CYLINDER / BATTERIE DE TRIEUR



TRİYÖR / INDENTED CYLINDER / BATTERIE DE TRIEUR

